

EUR 317.e

REPRINT

ASSOCIATION EURATOM - C.N.E.N.

(European Atomic Energy Community
and Comitato Nazionale per l'Energia Nucleare)

PRODUCTION OF CONTINUOUS HIGH-CURRENT DISCHARGES IN GASES

by

J. E. ALLEN and F. MAGISTRELLI
(C.N.E.N.)

1963



Work performed under the Euratom contract No. 002-60-1 FUAJ

Reprinted from
NATURE

Vol. 194, No. 4 834 - 1962

LEGAL NOTICE

This document was prepared under the sponsorship of the Commission of the European Atomic Energy Community (EURATOM).

Neither the Euratom Commission, its contractors nor any person acting on their behalf :

- 1° — Make any warranty or representation, express or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this document, or that the use of any information, apparatus, method, or process disclosed in this document may not infringe privately owned rights; or
- 2° — Assume any liability with respect to the use of, or for damages resulting from the use of any information, apparatus, method or process disclosed in this document.

This reprint is intended for restricted distribution only. It reproduces, by kind permission of the publisher, an article from „NATURE”, Vol. 194, No. 4834 - 1962, 1167. For further copies please apply to Fisher, Knight & Co., Ltd, Gainsborough Press, Lattimore Road — St. Albans, Hertfordshire (England).

Dieser Sonderdruck ist für eine beschränkte Verteilung bestimmt. Die Wiedergabe des vorliegenden in „NATURE”, Vol. 194, Nr. 4834 - 1962, 1167 erschienenen Aufsatzes erfolgt mit freundlicher Genehmigung des Herausgebers. Bestellungen weiterer Exemplare sind an Fisher, Knight & Co., Ltd., Gainsborough Press, Lattimore Road — St. Albans, Hertfordshire (England), zu richten.

Ce tiré-à-part est exclusivement destiné à une diffusion restreinte. Il reprend, avec l'aimable autorisation de l'éditeur, un article publié dans « NATURE », Vol. 194, N° 4834 - 1962, 1167. Tout autre exemplaire de cet article doit être demandé à Fisher, Knight & Co., Ltd., Gainsborough Press, Lattimore Road — St. Albans, Hertfordshire (England).

Questo estratto è destinato esclusivamente ad una diffusione limitata. Esso è stato riprodotto, per gentile concessione dell'Editore, da « NATURE », Vol. 194, N° 4834 - 1962, 1167. Ulteriori copie dell'articolo debbono essere richieste a Fisher, Knight & Co., Ltd., Gainsborough Press, Lattimore Road — St. Albans, Hertfordshire (England).

Deze overdruk is slechts voor beperkte verspreiding bestemd. Het artikel is met welwillende toestemming van de uitgever overgenomen uit „NATURE”, Vol. 194, No. 4834 - 1962, 1167. Meer exemplaren kunnen besteld worden bij Fisher, Knight & Co., Ltd., Gainsborough Press, Lattimore Road — St. Albans, Hertfordshire (England).

EUR 317.e

REPRINT

PRODUCTION OF CONTINUOUS HIGH-CURRENT DISCHARGES IN GASES by J.E. ALLEN and F. MAGISTRELLI (C.N.E.N.).

Association EURATOM - C.N.E.N. (European Atomic Energy Community and Comitato Nazionale per l'Energia Nucleare).
Work performed under the Euratom contract No. 002-60-1 FUA1.
Reprinted from „NATURE”, Vol. 194, No. 4834 - 1962, page 1167.

Summary not available.

EUR 317.e

REPRINT

PRODUCTION OF CONTINUOUS HIGH-CURRENT DISCHARGES IN GASES by J.E. ALLEN and F. MAGISTRELLI (C.N.E.N.).

Association EURATOM - C.N.E.N. (European Atomic Energy Community and Comitato Nazionale per l'Energia Nucleare).
Work performed under the Euratom contract No. 002-60-1 FUA1.
Reprinted from „NATURE”, Vol. 194, No. 4834 - 1962, page 1167.

Summary not available.


EUR 317.e

REPRINT

PRODUCTION OF CONTINUOUS HIGH-CURRENT DISCHARGES IN GASES by J.E. ALLEN and F. MAGISTRELLI (C.N.E.N.).

Association EURATOM - C.N.E.N. (European Atomic Energy Community and Comitato Nazionale per l'Energia Nucleare).
Work performed under the Euratom contract No. 002-60-1 FUA1.
Reprinted from „NATURE”, Vol. 194, No. 4834 - 1962, page 1167.

Summary not available.



Production of Continuous High-Current Discharges in Gases

The properties of high-current arcs under stationary conditions have been studied, in general, using low-pressure mercury vapour. Thonemann and Cowhig¹, for example, have made probe measurements in a mercury arc at currents up to 100 amp. Much higher currents are used in technical devices such as rectifiers and inverters.

The reason for the use of mercury is that a cathode spot on a mercury pool can supply virtually unlimited currents. Furthermore, the cathode is indestructible since the mercury which is blasted away from the spot afterwards returns to the pool.

It is possible, however, to utilize the properties of a mercury pool to obtain a high electron current which is then sent into a gas other than mercury. This can be done by introducing the gas into a mercury vapour discharge tube in which a cold trap prevents the mercury from entering the part of the tube which contains the anode.

The experimental tube (Fig. 1) is of 'Pyrex' and has a water-cooled principal anode A_1 , a mercury pool cathode C and an auxiliary anode A_2 . U is an umbrella which shields the main discharge space from jets of mercury emanating from the cathode spot and




Fig. 1

i is an electrode which is used to start the discharge. The bulb containing the cathode pool and the three tubes t containing further mercury are submerged in a thermostatically controlled bath. The large U-bend, which is surrounded by a vessel containing dry ice, constitutes the trap. The discharge tube is connected to a two-stage mercury diffusion pump through a liquid nitrogen trap.

Using a suitable optical system, light from regions a and b of the discharge (Fig. 1) illuminates respectively the lower and the upper parts of the entrance slit of a Hilger-Barfit constant deviation spectrometer. Thus the two spectra can be viewed simultaneously through an eyepiece. The measurements presented

Table 1. INTENSITY OF SPECTRAL LINES IN ARBITRARY UNITS
Wave-length (Å.) Light from a Light from b Light from both a and b

5876 (He)	0.0	2.0	2.0
5770/91 (Hg)	3.5	0.0	3.5
5461 (Hg)	16.0	0.0	16.0
5016 (He)	0.0	8.0	8.0
4922 (He)	1.0	2.0	3.0
4713 (He)	0.0	1.5	1.5
4471 (He)	0.5	0.5	1.0
4358/39 (Hg)	28.0	0.0	28.0

here were obtained using a photomultiplier which views individual lines through a slit.

Experiments have been carried out using helium. The pressure of the latter was 10μ mercury, and the mercury vapour pressure was 2.6μ mercury, corresponding to a bath temperature of 30° C. The arc current was 1 amp. and the arc voltage 190 V. Measurements were made of the intensity of the light arriving from region a , from region b and from both regions together. The first two measurements were made by blocking the light beam from part b and part a respectively. Typical results are given in Table 1. These measurements have not been corrected to allow for the variation of the sensitivity of the photomultiplier with the wave-length of the incident light. The figures given are galvanometer readings, which are to the nearest 0.5 division. Successive series of measurements, however, indicate that the error is somewhat greater than this.

It is seen from Table 1 that the light emitted from part a is due almost entirely to excitation of mercury atoms. The essential result, however, is that there is no mercury in part b of the tube, within the limits of experimental error. By analogy with normal vacuum practice it is clear that a discharge tube with a more sophisticated trap system would be even more efficient.

In the present experiment a current of only 1 amp. was used but the method can be extended to much higher currents.

We thank Prof. B. Brunelli for his interest.

J. E. ALLEN

F. MAGISTRELLI

Laboratorio Gas Ionizzati (EURATOM-C.N.E.N.),
Frascati,
Roma.

¹ Thonemann, P. C., and Cowhig, W. T., *Proc. Phys. Soc.*, B, **64**, 345 (1951).

CDNA00317ENC